
## FUNCTIONAL TRAINING

Multicross Nomad 16 Firefighter circuit Xroq







## Made in France



## **MULTICROSS**

## A modular range offering quasi infinite possibilities to demanding cross-trainers



## **MODULARITY**

MULTICROSS stations are composed of ready-to-assemble parts. A tremendous number of configurations is possible, adaptable to all spaces.

Choose your basic models and options and customize your MULTICROSS space according to your needs and desires.



## **FREEDOM**

You have the choice of an incredible number of options and accessories.

Almost all the supports are height adjustable and detachable. Elastic-band supports have been specially provided for workouts with elastic bands. This is to satisfy all cross-training exercises.



## **ROBUSTNESS**


Made with steel tubes (80x80 and 4mm thick), LAROQ MULTICROSS stations are the most stable in the fitness market. In most of the configurations they don't need to be fixed to a wall, they can be installed in very various spaces.

## MULTICROSS PERFORMANCE FOR CROSS-TRAINING

## GRIP RANGE WITH FLOOR ANCHORING

## CHOOSE YOUR STARTING MODULE **SELECT YOUR OPTIONS** GET THE PERFECT TRAINING MODULE Anchoring compulsory for this range. Ideal for training boxes. A choice of 13 possible options to customize your modules according to your wishes.

## FREE-STANDING FREE RANGE



## MULTICROSS - GRIP RANGE CHOOSE YOUR STARTING MODULE

## BB18 WALL RACK



### **FEATURES**

Steel Epoxy painting

80 x 80 cm

3 mm thick

Pierced and numbered tubes

1 pair of bar catches

## BB102 FULL RACK



2810 cm

### **FEATURES**

Steel Epoxy painting
80 x 80 cm
3 mm thick
Pierced and numbered tubes
2 pairs of bars catches

BB96
WALL RACK+



### **FEATURES**

Steel Epoxy painting
80 x 80 cm
3 mm thick
Pierced and numbered tubes
Pole height 360 cm
1 pair of bar catches

## BB98

••• 2158 x 1272 cm



### **FEATURES**

Steel Epoxy painting
80 x 80 cm
3mm thick
Pierced and numbered tubes
Pole height 360 cm
2 pairs of bars catches

## MULTICROSS - GRIP RANGE WITH FLOOR ANCHORING

## **CHOOSE YOUR OPTIONS**











1 Pair of advanced safety





Target





Weight storage holder

BB101-F

Accessories hooks











Battle rope hook



Connecting bar between two modules

••• 2 m



Connecting bar between two modules

••• 1,5 m



Connecting stem with two hooks between two modules

••• 2 m



Connecting stem with two hooks between two modules

••• 1,5 m











Offset beam



Dips station



2m Flat monkey bar



3m Flat monkey bar



Outdoor coating



## **MULTICROSS - FREE RANGE CHOOSE YOUR STARTING MODULE**





### **FEATURES**

Adjustable bar supports Adjustable bar holders Elastic supports Pull-up handles Disc holders Ø51 mm Vertical bar rack Ø51 mm



## **FEATURES**

••• 160 x 220 cm

Adjustable bar supports Adjustable safety bars Elastic supports Pull-up handles Disc holders Ø51 mm Vertical bar rack Ø51 mm

229 cm





### **FEATURES**

Adjustable bar supports Adjustable safety bars Elastic supports Pull-up handles Disc holders Ø51 mm Vertical bar rack Ø51 mm

## **MULTICROSS - FREE RANGE**

## **CHOOSE YOUR OPTIONS**



















Muscle-up bar

Triangular bar

Multigrip bar

Raised muscle-up bar

**CONNECTION OPTIONS BETWEEN MODULES** 


OP6











Half module BB18 / BB28 / BB31 / BB76



Curved connecting ladder

••• 3 m



Curved connecting ladder ••• 2 m



Flat connecting ladder ••• 3 m



Flat connecting ladder



OP9-A













Muscle-up connecting bar Muscle-up connecting bar ••• 2 m




••• 1.5 m



5-bar ascending connection ladder



5-bar ascending connection ladder ••• 1.5 m



Connecting pole with hooks ••• 2 m



Connecting pole with hooks

••• 1.5 m

## **MULTICROSS - FREE RANGE**

## **CHOOSE YOUR OPTIONS**

### **SUPPLEMENTARY ACCESSORIES & MODULES**













**OP18** 

**OP19** 





3-bar, lateral-mounting traction pole



Traction pole, Lateral mounting, 1 muscle-up



Kettlebell rack



Wall ball rack



Bumper rack



Dumbbell rack



Additional exterior bar-rest Additional interior bar-rest catches (pair)



catches (pair)



Advanced safety bar rest

**OP21** 



















Adjustable dips



Target

4 m



Climbing rope gallows 3 m



Punch-bag stem

**OP32-B** 



Single-sleeved Grappler

**OP33** 



Double-sleeved Grappler

**OP34** 



1 Pair battle-rope ring catches

**OP35** 



Adjustable jump platform



Adjustable jammer arms

**OP37** 

**OP30** 



Adjustable hip-thrust

module






Detachable bench / adjustable height / breathing aperture\*



Detachable bench (height adjustable bench and seat + breathing aperture) \*



Dumbbell platform



Joining parts for 2 cages from the back



2 adjustable pulleys attached to the back of the structure



Outside coating



Customization kit

Pair of adjustable deadlift

\* not available on the BB28 module

## MULTICROSS EXAMPLES OF SET-UP



BB102 X2



Full rack


Connection of modules

OP101-G

••• 2 m

••• 456 x 204 cm 300 cm

BB96 X3



Wall rack+

OP101-G



Connection of modules

••• 2 m

••• 748 x 188 cm

360 cm

13

## MULTICROSS EXAMPLES OF SET-UP



## **EXAMPLES OF MODULES AND OPTIONS**

## BB76 X2



Super Rack Ø51

## OP6X2



Half module BB76

## OP12



3-bar, lateral-mounting traction pole

## **OP13**



Traction pole. Lateral mounting, 1 muscle-up bar

## OP21



Adjustable dips

## OP22



Target





Climbing rope gallows

••• 775 x 310 cm

## MULTICROSS EXAMPLES OF SET-UP



••• 770 x 365 cm

330 cm



••• 770 x 365 cm

330 cm

## **EXAMPLES OF MODULES AND OPTIONS**

## **BB31x2**



Super Rack Ø51

BC05



Adjustable bench

OP8-A



3 m flat connecting ladder





Advanced safety bar rest

**OP27** 

## **OP21**



Adjustable dips

## OP22



Target

## **OP26**



Double-sleeved Grappler



1 Pair battle-rope ring

## **OP13**




Traction pole. Lateral mounting, 1 muscle-up bar

## **MULTICROSS**

## **EXAMPLES OF SET-UP**





## **EXAMPLES OF MODULES AND OPTIONS**

**BB76** 









**OP12** 

Options and accessories sold separately

Super rack Ø51

1 Pair battle-rope ring hooks

Inclined connecting ladder

3-bar, lateral-mounting traction pole

**OP22** 

OP13





OP21 x2



Adjustable dips

**OP23** 



Climbing rope gallows



Target

16

## **MULTICROSS**


## **EXAMPLES OF SET-UP**



**EXAMPLES OF MODULES AND OPTIONS** 











**EXAMPLES OF MODULES AND OPTIONS** 







OP1



OP8-A



**OP12** 











# Made in France LAROQ

## NOMAD16

## Dismountable and transportable cross-training module



## **CONVENIENCE**

A complete cross-training cage easy and quick to set up.



## **POLYVALENCE**

Offers a great variety of exercises thanks to its numerous modules. The whole thing accessible to 16 people simultaneously.



## **TRANSPORTABLE**

The NOMAD16 can easily be transported in a standard vehicle.

## **NOMAD 16**TRANSPORTABLE, FRENCH EXPERTISE

FRENCH Design and manufacture 100% French

Rapid and intuitive set-up in 15 min by 2 people without tools. Shipped with 2 assembly manuals

and exercise booklet

**COMPACT** 9.60 m2 (103 sq. feet) on the floor\*

**HEAVY DUTY** Galvanized steel, 2 mm thick

**DIVERSITY** Entirely customizable, offering numerous

exercise possibilities

**POLYVALENCE** Can be used indoors and outside

**RESISTANCE** Designed for intensive use with frequent mounting and dismantling, in all climates and saline air. Shock

resistant, anti-rust

**SAFETY** Equipped with identifiable safety hooks

**GUARANTEE** 5 years, structure & parts

**AUTO-STABLE** On flat floor (lawn, sand, tarmac)

**TRANSPORTABLE**By hand or with the help of a hoisting device without using a pallet. Stackable and transportable in many

possible ways, including a light commercial vehicle

USE Self-service and/or with coaching, with or without

additional load

**STANDARDS** Complies with EN 16630-2015

## **UP TO 16 PEOPLE SIMULTANEOUSLY**

NOMAD16 is a compact, dismountable and transportable cross-training cage. All the expertise and know-how of LAROQ, the number 1 French manufacturer of body-building equipment, are present in this physical training module able to occupy up to 16 participants simultaneously, in a restricted space, indoors or out



Module presented with options \* Minimum height recommanded for setting up the NOMAD16 indoors : 3.40 m (11.2 feet)

## NOMAD 16 NUMEROUS WORKOUT STATIONS

The NOMAD16 by LAROQ proposes numerous workout stations enabling a great variety of exercises to be done, for up to 16 people simultaneously. This transportable module offers participants the chance to do muscle strengthening exercises, cardio-training, or stretches, with or without extra loads.

The varied NOMAD16 equipment enables all muscle groups to be worked on, efficiently and conveniently.

The proximity of the various workout stations also enables a « circuit training » mode to be adopted. The workout stations of the NOMAD16 are fixed with the help of safety hooks which are height adjustable and interchangeable without tools. The pole pins are equipped with anti-loss cables.

## STANDARD BASIC EQUIPMENT



Battle rope rings



2 traction ladders



10 suspension strap



Weight bench, inclinable (20°)



2 safety hooks for height adjustable bars



2 height adjustable advanced bar rests



Target



Height adjustable Roman chair



Height adjustable dips support



Traction handles



Height adjustable training platform



Simple Grappler



Height adjustable bar (pull-ups/pushups)



Punch-bag stem



Climbing rope pole



NOMAD16 transport rack


## NOMAD 16 DETAILED VIEW OF COMPLETE NOMAD MODULE



The NOMAD16 should be set up on flat ground: lawn, sand, tarmac...

Minimum recommended height for setting up the NOMAD16 indoors: 3.40 m (11.2 feet)

## NOMAD 16 NUMEROUS WORKOUT STATIONS



## 298 cm 243 cm

## **MODULE DIMENSIONS**

Overall dimensions Length L. 456, W. 410, H. 305 cm

Floor area 9.60 sq ft

Traction ladder: height: 235 cm from the ground

2 traction ladders: 7 bars at 37.5 cm intervals, 3 bars at 76.4 cm intervals

Pull handle: height: 224 cm from the ground

10 rings for strap hooks, height: 224 cm from the ground

Tubes Length 70 x 70 mm, 2 mm thick

Ceiling height, minimum requirement: 340 cm

Total weight (standard structure + transport rack) 323 kg

## **WORKOUT STATION DIMENSIONS**

Bench dimensions Length Inclinable bench (20°). L. 36., W. 120.6., H. 43.7 cm

Height of the rope pole: 298 cm

Height of the punch bag stem: 243 cm

Target height: 217 cm Dips support, minimum height: 42.5 Maximum height: 168.5 cm

Roman chair, minimum height: 44.5 Maximum height 170.5 cm Training platform, minimum height: 47.5 cm Maximum height 173.5 Adjustable bar, minimum height 38 cm Maximum height 164 cm

Adjustable hooks for Olympic bar, minimum height 42 Maximum height 168.5 cm Levels of Adjustment of workout

stations 13 levels 10.5 cm by 10.5 cm

Total weight (with optional workout stations + complete accessories + rack + storage box) 600 kg


## NOMAD 16 TRANSPORT & INSTALLATION

To make transport and installation easier, the NOMAD16 is shipped with a transport rack and a water-resistant storage chest for accessories (optional). The NOMAD16 support as well as the storage chest can also be used for exercises, such as deadlift or plyometric exercises. (see exercise booklet) The NOMAD16 is shipped with assembly instructions, and an exercise booklet per group of muscles and 2 stepladders.

The NOMAD16 module is equipped with locking pins for optimal safety. The pole pins are equipped with an anti-loss cable. .

### TRANSPORT PACKAGING


Storage chest for accessories (optional)





Standard equipment







(W. 102.1 cm. L. 354.6 cm. H. 135.2 cm)

Dimensions of the support alone :


(W. 97.1 cm. L. 300 cm. H. 65.6 cm.)

Dimensions of the storage chest :

(L. 150 cm. W.75 cm. H. 67 cm.)

Weight of the empty transport rack: 30 kg

Weight of the storage chest: 79 kg





## FIREFIGHTER CIRCUIT

Because firefighters do specific training exercises, LAROQ proposes dedicated and adapted equipment.

## THEY CHOOSE TO WORK WITH US

For years, numerous S.D.I.S. (Departmental Fire and Emergency Service) have shown confidence in us for their sports material, amongst which ...

























## FIREFIGHTER CIRCUIT **SPORTS COURSE**



Entirely dismountable machine. Width between poles: 108 cm

Dimensions of the square tube pole: 70 x

70 cm thickness 3mm.

2 brackets with a bar rest

2 adjustable bar-rest hooks

11 possible settings 5 cm interval

between each setting)

Bar height, minimum 90 cm /

maximum 140 cm

14 possible bar settings.


Adjustable bar with 2 magnetic locking keys.

1 auto-stable fixed bar 250cm

1 target 160cm from the floor.

8 elastic-band hooks.

2 transport wheels.



Special tunnel for firemen's competitive examination 3m long. Stable, heavy-duty, shipped with a transparent sheet with eyelets.







**BTA\_03M** 



Multi-layer wooden board with no knots, 9.9 in. wide and 25 cm thick. Ideal for intensive use. Special steel legs for additional strength.



Multi-layer wooden board with no knots for heavyduty strength. Bench length: 3 m

300 x 25 cm

999 300 x 30 cm





254 cm 103 kg









Elastic supports Target at 1m60

Bar-rest bracket

reference point

Central visual Adjustable bar-rest Transport wheels

## **HARNESS / WEIGHTED BAG**





One-size-fits-all weight vest with detachable 20 kg plates



## **WEIGHTED BAG-10KG BTA\_05**

10 kg weighted bag with a reinforced central handle to satisfy the requirements of the competitive examination



## **WEIGHTED BAG 20KG BTA 06**

20 kg weighted sandbag with a reinforced central handle to satisfy the requirements of competitive examination

## **OPTION**: 2 DISC CARRIERS

●●● 169 x 186 cm





## **XROQ**

Developed with Frédéric DELAVIER, the XROQ range was designed to offer professional-quality material to the largest number of people



## **JAMMER & ASSISTANCE**

Able to carry up to 100 kg each, and enabling elastic-band work to be done, it also offers start-up support for certain exercises with the bars thanks to the bar-rest hooks.



## **MULTI-POSITION HANDLES**

The multi-position handles are ergonomically designed to guarantee users a pleasant and reliable grip. You will thus be able to vary your training and exercises according to your body position.



## **TRACTION BAR**

The XR128 is also equipped with a traction bar enabling you to do a wide range of exercises. Pull-ups, chin-ups, abdominal work and many other exercises are possible on our XR128.

## **XR05 ADJUSTABLE BENCH**

••• 170 x 64 cm

••• 164 x 156 cm

## **POWER RACK & TRACTION BAR**

140 cm



### **FEATURES**



Adjustable seat and backrest



Detachable abdominal leg-pad



Safety by locking pins



Main muscles Whole body

### **FEATURES**



Adjustable bar rest



Traction bar



Elastic supports

Main muscles Whole body



## XR107 **ADJUSTABLE CANDLES**



••• 164 x 142 cm

168 cm

## **POWER RACK & JAMMER**



••• 164 x 156 cm

## **FEATURES**



Adjustable bar rest



Disc support



Elastic supports



Main muscles Whole body

### **FEATURES**



Jammer et assistance



Multi-position handles



Elastic supports



Main muscles Lats pecs Pectoraux

Secondary muscles. Anterior deltoids . Triceps . Abdominal muscles

. Hamstrings . Trapezius . Biceps

Forearm

Quadriceps

## DISCOVER OUR OTHER WORLDS

## **PERFORMANCE**

30 years of collaboration with physical trainers and high-level sportsmen











## **ACCESSORIES**

Quality accessories to answer all the needs of all kinds of training session



## **FITNESS**

Customized equipment for comfortable a safe training











## CARDIO-TRAINING

Complete and reliable ranges to meet different objectives








WWW.LAROQ.COM Performance & Fitness

## **LAROQ**



## **LAROQ - PERFORMANCE & FITNESS**

## **ADDRESS**

Grand Pont Industrial Zone 13640 - La Roque d'Anthéron - France

INTERNATIONAL SALES CONTACT
Worldwide +33(0)4 42 28 58 47 / commercial@fizfab.com